

Quality Assurance Keep Improving



TECHNOMET ENTERPRISES



Mail:

maresh.bhattad@technometent.co.in
tme_pne@technometent.co.in
salestechnomet123@gmail.com



Contact No.:

+91-98500 87426
+91-98500 83743
+91-72760 91255






Address: 103, Varad Vinayak Complex, Sr.no. 26/1, Narhe, PUNE, 411041

www.technometent.co.in

EGH Series Linear Guideway

Dimensions of EGH Series Linear Guideway (Low Profile Square Type)

EGH-SA/EGH-CA










Model No.	Dimensions Of Assembly (mm)		Dimensions of Block (mm)													Dimensions of Rail (mm)					Mounting Bolt For rail (mm)	Basic Dynamic Load Rating C (kN)	Basic Static Load Rating Co (kN)	Static Rated Moment			Weight				
	H	H1	N	W	B	B1	C	L1	L	K1	K2	G	Mx1	T	H2	H3	Wr	Hr	D	h				d	P	E	Mr	Mp	My	Block kg	Rail kg/m
EGH15SA	24	4.5	9.5	34	26	4	-	23.1	40.1	14.8	3.5	5.7	M4x6	6	5.5	6	15	12.5	6	4.5	4.5	60	20	M3x16	5.35	9.4	0.08	0.04	0.04	0.09	1.25
EGH15CA	26	39.8	56.8	10.15																											
EGH20SA	28	6	11	42	32	5	-	29	50	18.75	4.15	12	M5x7	7.5	6	6	20	15.5	9.5	8.5	6	60	20	M5x16	7.23	12.74	0.13	1.06	1.06	0.15	2.08
EGH20CA							32	48.1	69.1	12.3																					
EGH25SA	33	7	12.5	48	35	6.5	-	35.5	59.1	21.9	4.55	12	M6x9	8	8	8	23	18	11	9	7	60	20	M6x20	11.4	19.5	0.23	0.12	0.12	0.25	2.67
EGH25CA							35	59	82.6	16.15																					
EGH30SA	42	10	16	60	40	10	-	41.5	69.5	26.75	6	12	M8x12	9	8	9	28	23	11	9	7	80	20	M6x25	16.42	28.1	0.4	0.21	0.21	0.45	4.35
EGH30CA							40	70.1	98.1	21.05																					

Note: 1kgf=9.81 N

EGW Series Linear Guideway

Dimensions of EGW Series Linear Guides (Low Profile Flange Type)

EGW-SA/EGW-CA



Model No.	Dimensions of Assembly (mm)		Dimensions of Block (mm)													Dimensions of Rail (mm)					Mounting Bolt For rail (mm)	Basic Dynamic Load Rating C (kN)	Basic Static Load Rating Co (kN)	Static Rated Moment			Weight			
	H	H1	N	W	B	B1	C	L1	L	K1	K2	G	Mx1	H2	H3	Wr	Hr	D	h	d				P	E	Mr	Mp	My	Block	Rail
																										kN-m	kN-m	kN-m	kg	kg/m
EGW15SA	24	4.5	18.5	52	41	5.5	-	23.1	40.1	14.8	3.5	5.7	M5	5.5	6	15	12.5	6	4.5	4.5	60	20	M3x16	5.35	9.4	0.08	0.04	0.04	0.12	1.25
EGW15CA							26	39.8	56.8	10.15																				
EGW20SA	28	6	19.5	59	49	5	-	29	50	18.75	4.15	12	M6	6	6	20	15.5	9.5	8.5	6	60	20	M5x16	7.23	12.74	0.13	1.06	1.06	0.19	2.08
EGW20CA																										32	48.1	69.1	12.3	
EGW25SA	33	7	25	73	60	6.5	-	35.5	59.1	21.9	4.55	12	M8	8	8	23	18	11	9	7	60	20	M6x20	11.4	19.5	0.23	0.12	0.12	0.35	2.67
EGW25CA																										35	59	82.6	16.15	
EGW30SA	42	10	31	90	72	9	-	41.5	69.5	26.75	6	12	M10	8	9	28	23	11	9	7	80	20	M6x25	16.42	28.1	0.4	0.21	0.21	0.62	4.35
EGW30CA																										40	70.1	98.1	21.05	